


## **Agriculture Spray Hose 8mm – 13mm**



## AGRICULTURE

### ARIANNA 20 BAR



#### ARIANNA 20 BAR

**Colour:** outside beige, inside black.

**Temperature range:** -10°C + 60°C / +14°F + 140°F.


**Features:** flexible hose in special PVC compound stabilized against UV rays. High tenacity polyester yarn reinforcement. Resistant to several chemicals, weather and ozone.

**Applications:** in agriculture for spraying of pesticides and fertilizers.

## Technical Data

Part Number	Inside Ø	Outside Ø	Weight	Working Pressure	Bursting Pressure	Bending	Roll Lenght	Volume
	mm	mm	g/m	bar	bar	mm	m	m <sup>3</sup>
AV 01 008.0 013.0	8	13	110	20	60	80	100	0,032
AV 01 010.0 015.0	10	15	130	20	60	100	100	0,039
AV 01 013.0 019.0	13	19	199	20	60	130	100	0,058
AV 01 016.0 023.0	16	23	283	20	60	160	50	0,047
AV 01 019.0 026.5	19	26,5	361	20	60	190	50	0,059
AV 01 025.0 033.5	25	33,5	526	20	60	250	50	0,093

## OILS - CHEMICALS PLUTONE PK



### PLUTONE PK

**Colour:** inside white, outside green with a violet stripe for easy identification.

**Temperature range:** from - 30° C to + 80° C (- 22 F/+ 176 F).


**Features:** TPV rubber hose reinforced with harmonic steel spiral and polyester yarn, it's resistant to abrasion, ageing, atmospheric agents and ozone.

**Application fields:** for suction and delivery of acids and chemicals\*.


\*Please consult our chemical resistance chart before use.

### Technical Data


Part number	Inside Ø	Outside Ø	Weight	Working press.	Bursting press.	Vacuum	Bending radius	Roll length	Volume
	mm	mm	g/m	bar	bar	mH <sub>2</sub> O	mm	mt	m <sup>3</sup>
PK 01 020.0 029.0	20	29	390	10	30	10	80	60	0,106
PK 01 025.0 035.0	25	35	550	10	30	10	100	60	0,135
PK 01 032.0 043.0	32	43	740	10	30	9	130	60	0,214
PK 01 038.0 049.0	38	49	860	10	30	9	150	30	0,228
PK 01 050.0 063.0	50	63	1390	10	30	8	250	30	0,286
PK 01 063.0 077.0	63*	77	1820	10	30	8	320	30	0,372
PK 01 076.0 091.0	76*	91	2270	10	30	7	380	30	0,603
PK 01 102.0 118.0	102*	118	3290	10	30	7	510	20	0,801



Spiral: Harmonic steel wire



Reinforcement: Polyester high tenacity yarn



Tube and Cover: TPV rubber

\*Please consult our offices for these sizes and others not herewith listed