

Contents

Industrial Engines	3
Pumps	4
Generators	5
Compaction	6
Waterblasters	7
Heating & Ventilation	
Dehumidifiers	
Floor Sanders	
Concrete Breakers	
Surface Preparation	
Wet & Dry Vacuum	
Concreting	8
Finishing Tools	9
Husqvarna	10-11
Construction Products	
Power Cutters	
Wall & Road Saws	
Drilling Systems	
Diamond Blades	
Husqvarna	
Outdoor Products	12
Landscaping	13
Access	14
Material Handlers	
Skid Steer Loaders	
Track Systems	
Lighting Towers	15



We are the sole New Zealand distributors of Subaru Industrial Engines, guaranteed long life and dependability. Rugged, compact and easy starting.

Subaru Petrol engines

EX SERIES - OVERHEAD CAM

Models 4.5hp to 14.0hp

Air-cooled, 4-stroke, inclined cylinder type, OHC, with a wide variety of shaft applications.

Extremely easy starting, no kick back.

Easy maintenance. Lower fuel consumption.



EH SERIES - OVERHEAD VALVE, V-TWIN

Four models 18.0hp to 25.0hp

Powerful and low vibration. Electric start.



Subaru - Diesel engines

Range covers 4.5hp and 8.5hp.

Our range of Subaru Diesel engines are heavy-duty, industrial quality and highly efficient, yet compact and lightweight.

Crank, recoil and electric start options available.



Hatz - Diesel Engines

These heavy-duty diesel engines are economical, robust, reliable and low noise. Safe starting even at extremely low temperatures.

Air-cooled, single and multi-cylinder 1.4kW to 48kW.

Some models feature 'Silent Pack' sound proofing for extra quiet use.



PUMPS

To suit most pumping assignments required on construction sites and farms, from small submersibles up to larger contractor pumps. Models for emergency, utility maintenance, rural and landscaping.



Clean Water

General all-purpose pumps. Sizes 1" (25mm), 2" (50mm) and 3" (75mm). Petrol and diesel models available.



SE25FH 1" (25mm)
Max flow 125 L/min
Total head 42m



SE50X 2" (50mm)
Max flow 600 L/min
Total head 30m



SE80X 3" (75mm)
Max flow 930 L/min
Total head 26m




SE80XD 3" (75mm)
Max flow 970 L/min
Total head 30m

Diesel Model

Corrosive

Salt water, liquid fertilizers & pesticides



'Agromate' PTH50 2" (50mm)
Max flow 560 L/min
Total head 26m

High-Head

For sprinklers, and water transfer to high places.



SERM50V 2" (50mm)
Max flow 500 L/min
Total head 90m



PTX201H 2" (50mm)
Max flow 400 L/min
Total head 50m

Semi-Trash

For solids up to 20mm diameter. Petrol and diesel models.



PTX210ST 2" (50mm)
Max flow 700 L/min
Total head 23m



PTX310ST 3" (75mm)
Max flow 1000 L/min
Total head 23m



SST80RD 3" (75mm)
Max flow 1000 L/min
Total head 23m

Diesel Model

Full-Trash


For solids 20mm up to 100mm. Petrol and diesel models.



PTX201T 2" (50mm)
Max flow 750 L/min
Total head 27m



PTX301T 3" (75mm)
Max flow 1300 L/min
Total head 28m



PTG405T 4" (100mm)
Max flow 2000 L/min
Total head 23m



KTH80D 3" (75mm)
Max flow 1050 L/min
Total head 21m



KTR100D 4" (100mm)
Max flow 1700 L/min
Total head 19m

Diaphragm

These pumps are self-priming and can be run dry.



PTX201D 2" (50mm)
Max flow 125 L/min
Total head 15m



PTX301D 3" (75mm)
Max flow 250 L/min
Total head 15m

Submersibles Electric

Suitable for construction sites, underground utility maintenance, light industrial, farm and horticulture, landscaping and flood dewatering uses.



NSM2522 2" (25mm)
Max flow 80 L/min
Total head 5.5m



PXL5252 2" (25mm)
Max flow 120 L/min
Total head 10m



PX55022 2" (50mm)
Max flow 260 L/min
Total head 10m



PSA55022 2" (50mm)
Max flow 280 L/min
Total head 10m



PKS55022 2" (50mm)
Max flow 300 L/min
Total head 10m

Solids up to 15mm. Sewage

'Mikasa' Flexidrive Submersibles

Ideal for construction sites. Petrol & diesel models. Standard flexidrive shaft length 7m.

Drive Unit: GE5L (Petrol) GE5LD (Diesel)

Flexible Drive Pump: WP2L 2" (50mm)

Max flow 500 L/min
Total head 23m

Flexible Drive Pump: WP3B 3" (75mm)

Max flow 1200 L/min
Total head 23.1m



Pump and drive unit sold separately

Contractor - Diesel

4" (100mm) to 12" (300mm) models available.

Super-Silent, dry vacuum assisted, centrifugal pump. Rapid self-priming.



MVSS.340 6" (150mm)
Max flow 5500 L/min
Total head 5/18/32m



Optional: 50 litre tank trolley

Pump Accessories

Suction and layflat hose, 'Camlock' fittings, PVC strainer and hose couplings.



'Koshin' Portable Sprayer

For a wide range of hand-held spraying jobs. Petrol powered.



Model KVER100
Max flow 8.6 L/min
Spray coverage 2-2.5m



Denyo

Our range of generators will cover the power demands for construction and building sites, outdoor events and emergency power and leisure activities.

GENERATORS

Subaru Inverter Type - Super Silent



R1700i
Max Output 1650W
Cont Output 1400W



RG2800iS
Max Output 2800W
Cont Output 2500W



RG3200iS
Max Output 3200W
Cont Output 2800W



RG4300iS
Max Output 4300W
Cont Output 3800W

Inverter Type - Silent



RG2800i
Max Output 2800W
Cont Output 2500W



RG4300i
Max Output 4300W
Cont Output 3800W

Subaru Petrol *Four models** - Max output from 2400W up to 6300W. Extremely quiet, stable output.



RG2900L
Max Output 2400W
Cont Output 2100W



RG3500L
Max Output 3100W
Cont Output 2400W



RG4800L
Max Output 4100W
Cont Output 3300W



RGV7500T
Max Output 6300W
Cont Output 5500W

Subaru Diesel - Silent

Ideal for industrial use. Highly portable on castor wheels.



RGD3310S
Max Output 3000W
Cont Output 2700W

YRCO Pro-series Petrol Max output: 2.4kVA up to 11kVA. 3-phase model 12kVA. Assembly options - base plate, roll bar frame & pneumatic wheels.



Models are available fitted with a long range fuel tank



A1BFX
Max Output 2750W
Cont Output 2500W



A1CFX
Max Output 3800W
Cont Output 3500W



A1DFX
Max Output 4510W
Cont Output 4100W



SE40
Max Output 7000W
Cont Output 6400W



MR2E65F
Max Output 11,000W
Cont Output 10,000W



M1DE
Max Output 5500W
Cont Output 5000W

Denyo Soundproof SINGLE PHASE



DA-6000SS
Max Output 6.0kVA
Cont Output 5.5kVA



DCA-10ESXDA
Max Output 8.8kVA
Cont Output 8.0kVA



DCA-18ESXDA
Max Output 15.0kVA
Cont Output 14.0kVA



DCA-25SPXDA
Max Output 22.0kVA
Cont Output 20.0kVA

Denyo Soundproof 3-PHASE

Models up to 11,000kVA. High Quality.



Denyo Soundproof 3-PHASE Suitable for large building sites, outdoor events & standby/emergency power.



DCA-13ESKDA
Max Output 10.5kVA
Cont Output 11.5kVA



DCA-25ESKDA
Max Output 22.0kVA
Cont Output 20.0kVA



DCA-35SPKDA
Max Output 31.5kVA
Cont Output 30.0kVA



DCA-45SPI
Max Output 38.9kVA
Cont Output 37.0kVA



DCA-60SPI
Max Output 55.0kVA
Cont Output 50.0kVA



DCA-75SPI
Max Output 68.3kVA
Cont Output 65.0kVA

Denyo Welder/Generators 3-PHASE



DLW-300ESW
Dual or Single Weld
Generator capacity 10kVA
Weld capacity 300amps
Weight 384kg

Soundproof, superior arc performance.




DLW-400ESW
Dual or Single Weld
Generator capacity 15kVA
Weld capacity 400amps
Weight 460kg

YRCO Pro-Series Welder/Generator

Suitable for general arc welding, maintenance and farm use. DC battery charging facility.

Comes complete with welding cables, earth clamp, hand piece and helmet.



ASI 200
Generator capacity 7kVA
Weld capacity 200amps
Weight 97kg

COMPACTION

We carry an extensive range, featuring the latest technology to maximise compaction. Models suitable for road construction and repairs, general construction work and landscaping.





Folding handle









Photo shows water tank







Model	Weight	Plate (mm)	Cent. force	Subaru
MVC40G	45kg	420x292	7.2kN	2.8hp
MVC50G	60kg	460x345	9.8kN	4.5hp
MVCF60R	65kg	540x350	10.1kN	4.5hp
MVCF60R VAS	72kg	570x350	10.1kN	4.5hp
MVCF80R VAS	82 kg	570x450	13.7kN	6.0hp
MVC88GE	82kg	525x500	15.0kN	6.0hp
MVCF82VE	84kg	570x450	13.7kN	6.0hp

Mikasa Reversible Plate Compactors High compaction capacity. Hydraulic reversing mechanism.





Remote Control






Model	Weight	Plate (mm)	Cent. force	Subaru	Start
MVHR60 (petrol)	64kg	480x350	15.0kN	4.5hp	Recoil
MVH120 (petrol)	112kg	585x400	22.5kN	6.0hp	Recoil
MVH150 (petrol)	150kg	700x435	27.0kN	8.5hp	Recoil
MVH206DVAS (diesel)	238kg	720x500	35.0kN	6.4hp	Electric

Model	Weight	Plate (mm)	Subaru	Start	Cent. force
MVH306 (Petrol)	302kg	860x445/600	9.0hp	Recoil	45.0kN
MVH306DSNY (Diesel)	330kg	860x445/600	6.7hp Diesel	Recoil/Electric	45.0kN
MVH406DSNY (diesel)	440kg	900x500/600	10.0hp Diesel	Electric/Recoil	50.0kN
MVH502DS (diesel)	550kg	900x550/700/850	14.0hp Diesel	Electric/Recoil	61.7kN
MVH702DSRC (diesel)	700kg	1100x800	15.5hp Diesel	Electric	80.0kN

Mikasa Tramping Rammers With outstanding compaction ability and balance.











Model	Weight	Plate (mm)	Impact force	Subaru	Engine
MTR-40F (Petrol)	46kg	270x150	5.4kN	4-stroke	2.4hp
MT55 (Petrol)	57kg	340x265	14.0kN	4-stroke	2.4hp
MTX-60 (Petrol)	64kg	340x265	13.6kN	4-stroke	2.8hp
MTX-70 (Petrol)	75kg	340x285	14.9kN	4-stroke	3.0hp
MT76D (Diesel)	80kg	340x285	17.5kN	4-stroke	4.2hp

Mikasa Vibration Rollers

Double drum drive and double drum vibration. Built-in water tank, hydrostatic drive and spray bar.



MRH-600DSA (diesel)	
Weight	620kg
Drum (mm)	355Dia 650W
Cent. force	10.8kN
Engine	6.0hp Diesel

Tracgrip Pedestrian Roller

Single drum. Efficient performance & easy maintenance. Non-corrosive water tank.



TG45	
Weight	430kg
Drum (mm)	550Dia 775W
Cent. force	12.5kN
Subaru	8.5hp Petrol

Easi-load Tilt-deck Trailers

Custom made trailers can be made. Robust and fully galvanised.





Shizuoka
INDUSTRIAL HEATERS

Dustless
WET & DRY VACUUM

MARUZEN
CONCRETE BREAKERS

HITACHI
POWER TOOLS

WATERBLASTERS

YRCO
PROFESSIONAL SERIES

SIAL
DEHUMIDIFIERS


EDCO
CONCRETING EQUIPMENT

Jouning
VENTILATORS

Leading brands recognised worldwide
for quality and reliability

YRCO Pro Series Waterblasters - Petrol

Pneumatic tyres.
14m of hose & gun.



AR Fitted with
Annovi Reverberi
high pressure pumps



YR2700AR
Pressure 2200psi
Max flow 11 L/min
Subaru 6.0hp

YR3000AR
Pressure 2600psi
Max flow 13.5 L/min
Subaru 7.0hp

YR3500AR
Pressure 3000psi
Max flow 15.5 L/min
Subaru 9.0hp

YR4000AR
Pressure 3600psi
Max flow 17.5 L/min
Subaru 14.0hp

Electric



M1110F, M1019F
Pressure 1000/1900psi
Max flow 11/10 L/min
Motor 2hp/3hp

Heaters

Shizuoka radiant
infra-red, diesel and
electric heaters.
Suitable for
indoor/outdoor use.



NEW



Optional
trolley
for easy
positioning



Shizuoka

WPS-20 (electric)
Heat 2kW
Power 230V single phase

VAL6.EPX1
Heat 140,000Btu/hr
Power 230V single phase
Weight 50kg

VAL6.EP6A
Heat 134,500Btu/hr
Power 230V single phase
Weight 50kg

VAL6.KBE1S
Heat 112,000Btu/hr
Power 230V single phase
Weight 38kg

VAL6.PH1 (Daystar)
Heat 51,800Btu/hr
Power 230V single phase
Weight 16.3kg

Ventilators

Jouning electric. For
commercial & industrial use.
Suitable for small or large
areas. Easy to position.



Optional carpet duct

Flexible ducting available

Jouning

JM624
Capacity 340/420 cu.m/min
Fan size 600mm
Motor 1500W
Weight 68kg

JM4502
Capacity 50/110 cu.m/min
Fan size 370mm
Motor 1125W
Weight 43kg

JPV300
Capacity 60 cu.m/min
Fan size XXmm
Motor 550W
Weight 17kg

Flexible Ducting
To suit all models
JM624 6m x 700mm (dia)
JM4502 10m x 480mm (dia)
JPV300 5m x 310mm (dia)

Dehumidifiers

SIAL dehumidifiers, suitable for
large areas and specific drying
tasks. Drainage hose can be
fitted for continuous use



FLOOR SANDERS

Silver-Line sanders
are designed for the
professional contractor
and tradesman.

SIAL

XRC40
Capacity 42 L/per 24hrs
Motor 800W
Weight 51.0kg

XRC90
Capacity 88 L/per 24hrs
Motor 1236W
Weight 63.0kg

SL7 Edger
Disc pad 180mm
Disc speed 3600rpm
Weight 13.5kg

SL8 Drum
Drum 200mm
Drum speed 1800rpm
Weight 55.0kg

ESSEX-SILVER-LINE

Breakers and Power Pack MARUZEN Petrol and hydraulic models.

CONCRETE BREAKERS

HITACHI Electric
Models



H65SB2
Hand held
16.5kg

H90SB
Heavy capacity
32.0kg

BG234 Petrol
Multi-purpose
23.5kg

BH051
Finishing
5.5kg

BH112
Light work
11kg

BH163
Gen purpose
16kg

BH23K
High power
21.5kg

DH203
Rock drill
20kg

KH182
Pile driver
23kg

Hydraulic Power Packs
Subaru 7.0hp
Electric powered 3-phase

Dustless Wet & Dry Vacuum

Will handle
extremely fine
dust from concrete,
stone, fibreglass
plaster etc.



Vacuum Unit
Holding Capacity 74L
Motor 11.5amp
Filters 3 layers, washable

Attachment systems for:
Hand-held grinders, concrete
grinding, core drills, plasterboard
sanding and floor sanding.

EDCO

SURFACE PREPARATION



TILE LIFTER
EDESC
Motor 2.0hp
Width 280mm

POLISHER
DUAL DISC & VACUUM
Motor 3-phase
Width 590mm

SCARIFIER
EDCO 8" & 10"
Subaru 11.5/25hp
Width 200/250mm